

M A T E R I A L   S A F E T Y   D A T A   S H E E T

LAVA DECK BASECOAT 5'S

Page:

PRODUCT NAME: LAVA DECK BASECOAT 5'S  
PRODUCT CODE: LD-LG-05

HMIS CODES: H F R P  
2 0 0 I

=====**SECTION 1 - MANUFACTURER IDENTIFICATION**=====

**MANUFACTURER'S NAME:** UNITED COATING MANUFACTURING CO

**ADDRESS :** 19011 EAST CATALDO ROAD  
GREENACRES, WASHINGTON 99016-9423  
INITIAL(FIRST CALL)CHEMTREC(800)424-9300

**EMERGENCY PHONE :** BACK-UP(800)541-4383 **DATE PRINTED :** 9/24/03  
**DATE REVISED :** AUGUST 2002

**INFORMATION PHONE :** (509) 926-7143

=====**SECTION 2 - HAZARDOUS INGREDIENTS/SARA III INFORMATION**=====

REPORTABLE COMPONENTS	CAS NUMBER	MM	HG @ TEMP	WEIGHT PERCENT
ACRYLIC POLYMER		MIXTURE	17 68F/20C	40
AMMONIA, CAS #7664-41-7, < 0.20% MAXIMUM, OSHA STEL-35PPM, ACGIH TWA-25PPM, STEL-35PPM. MANUFACTURER'S SUGGESTED GUIDELINES, TWA-25PPM, STEL-35PPM.				
CALCIUM CARBONATE	471-34-1	N/A	N/A	15
OSHA PEL-15MG/M3, TOTAL DUST, 5MG/M3, RESPIRABLE DUST. ACGIH TLV-10 MG/M3, TOTAL DUST CONTAINING NO ASBESTOS AND <1% FREE SILICA. IF SILICA LEVELS ABOVE 1.0% ARE PRESENT, THE TLV VALUE IS 0.1 MG OF RESPIRABLE SILICA PER CU. METER FOR BOTH OSHA PEL AND ACGIH TLV.				
WATER	7732-18-5	UNK	UNK	14
NO OEL'S ESTABLISHED.				
ALUMINUM TRIHYDROXIDE	21645-51-2	N/A	N/A	12
ALUMINA TRIHYDROXIDE; CAS#1344-28-1 64.5%BY WEIGHT. OSHA/PEL 10PPM, ACGIH /TLV 10PPM.				
CALCIUM CARBONATE	471-34-1	N/A	N/A	9
OSHA PEL-15MG/M3, TOTAL DUST, 5MG/M3, RESPIRABLE DUST. ACGIH TLV-10 MG/M3, TOTAL DUST CONTAINING NO ASBESTOS AND <1% FREE SILICA. IF SILICA LEVELS ABOVE 1.0% ARE PRESENT, THE TLV VALUE IS 0.1 MG OF RESPIRABLE SILICA PER CU. METER FOR BOTH OSHA PEL AND ACGIH TLV.				
TITANIUM DIOXIDE	13463-67-7	N/A	N/A	5
TITANIUM DIOXIDE, 86-97%, CAS#13463-67-7, ACGIH TLV-10MG/M3, TOTAL DUST TWA, OSHA PEL-15MG/M3, TOTAL DUST, 8 HR TWA, AEL(ACCEPTABLE EXPOSURE LIMIT) OF 10MG/M3, TOTAL DUST 8 HR TWA, 5MG/M3 RESPIRABLE DUST 8 HR TWA. (AEL IS THE EXPOSURE LIMIT RECOMMENDED BY THE MANUFACTURER OF THIS CHEMICAL). ALUMINUM HYDROXIDE, CAS#21645-51-2, 1-5%, NO EXPOSURE LIMITS ESTABLISHED.				
# SILICATE MINERALS (SILICATE, MICA)	12001-26-2	N/A	N/A	2.5
MICA, CAS#12001-26-2, 95.0-99.0%, ACGIH TLV-20MPPCF TWA, STEL-3MG/M3, RESPIRABLE DUST. QUARTZ, CAS#14808-60-7, 0.1-5.0%, ACGIH TLV-0.1MG/M3 TWA, RESPIRABLE DUST, OSHA PEL-0.1MG/M3, RESPIRABLE DUST, (%SIO2+2) RESPIRABLE QUARTZ-SEE 29CFR-1910.1000 TABLE Z-1-A, AIR CONTAMINANTS, OSHA IDLH, 50 MICRO GRAMS/M3, 10 HOUR TWA, RESPIRABLE FREE SILICA.				

\* Indicates toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.

M A T E R I A L   S A F E T Y   D A T A   S H E E T

LAVA DECK BASECOAT 5'S

Page:

#Indicates carcinogenic chemical.

THIS MSDS MAY BE USED FOR OTHER COLORS AND CONTAINER SIZES OF THIS PRODUCT.

=====**SECTION 3 HAZARDS IDENTIFICATION**=====

**POTENTIAL HEALTH EFFECTS**

**EYES:**

CONTACT WITH VAPOR AND/OR SPRAY MIST MAY RESULT IN IRRITATION, CONTACT WITH LIQUID MAY RESULT IN SEVERE IRRITATION

**SKIN:**

SUBSTANCE MAY CAUSE SLIGHT SKIN IRRITATION

**INGESTION:**

MAY CAUSE ABDOMINAL PAIN, NAUSEA AND VOMITING.

**INHALATION:**

VAPOR OR SPRAY MIST CAN CAUSE HEADACHE, NAUSEA AND IRRITATION OF THE NOSE, THROAT AND LUNGS.

=====**SECTION 4 FIRST AID MEASURES**=====

**EYES:**

IMMEDIATELY FLUSH WITH LOTS OF WATER FOR AT LEAST 15 MINUTES. IF REDNESS, ITCHING, OR A BURNING SENSATION DEVELOPS SEE A PHYSICIAN.

**SKIN:**

IMMEDIATELY WASH SKIN WITH LOTS OF SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND SHOES AND WASH BEFORE REUSE. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.

**INGESTION:**

DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. CONSULT A PHYSICIAN IMMEDIATELY

**INHALATION:**

REMOVE FROM SOURCE OF EXPOSURE AND INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. GET IMMEDIATE MEDICAL ATTENTION.

**NOTE TO PHYSICIAN:**

NONE FOR THIS MATERIAL

=====**SECTION 5 FIRE FIGHTING MEASURES**=====

**FLAMMABLE PROPERTIES:**

**FLASH POINT:** N/A

**LOWER FLAMMABLE LIMITS:** N/A

**UPPER FLAMMABLE LIMIT:** N/A

**AUTO IGNITION TEMPERATURE:** NOT AVAILABLE

**EXTINGUISHING MEDIA:** FOAM, CO2, DRY CHEMICAL, WATER FOG OR SPRAY, AS APPROPRIATE FOR SURROUNDING FIRE.

**SPECIAL FIRE FIGHTING PROCEDURES:**

DO NOT ENTER ANY ENCLOSED OR CONFINED SPACE WITHOUT FULL PROTECTIVE EQUIPMENT,

M A T E R I A L   S A F E T Y   D A T A   S H E E T

LAVA DECK BASECOAT 5'S

Page:

INCLUDING SELF-CONTAINED BREATHING APPARATUS (PRESSURE-DEMAND MSHA/NIOSH APPROVED OR EQUIVALENT) TO PROTECT AGAINST THE HAZARDOUS EFFECTS OF COMBUSTION PRODUCTS AND OXYGEN DEFICIENCY.

=====SECTION 6 ACCIDENTAL RELEASE MEASURES=====

**SMALL SPILL:**

DIKE AND ABSORB WITH INERT MATERIAL SUCH AS SAND AND REMOVE ALL LIQUID WITH THE USE OF A VACUUM SYSTEM. IF UNABLE TO REMOVE AS A LIQUID, THEN BEGIN TO ABSORB WITH SAND, SAW DUST OR COMMERCIAL ABSORBANT, AND SCOOP UP AND PLACE IN CONTAINERS FOR PROPER DISPOSAL. KEEP SPILLS AND CLEANING RUNOFF OUT OF THE MUNICIPAL SEWERS AND OPEN BODIES OF WATER. DECONTAMINATE ALL CLOTHING AND THE SPILL AREA WITH A DETERGENT AND LARGE AMOUNTS OF WATER.

**LARGE SPILL:**

USE SAME PROCEDURE AS SMALL SPILL.

=====SECTION 7 HANDLING AND STORAGE=====

**HANDLING & STORAGE:**

KEEP FROM FREEZING. KEEP CONTAINER COOL AND DRY. USE AND STORE THIS PRODUCT WITH ADEQUATE VENTILATION. KEEP PRODUCT CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. AVOID SUBJECTING THIS PRODUCT TO EXTREME TEMPERATURE VARIATIONS.

**OTHER PRECAUTIONS:**

CONTAINERS OF THIS MATERIAL MAY BE HAZARDOUS WHEN EMPTIED. SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUES (VAPOR, LIQUID, AND/OR SOLID), ALL HAZARD PRECAUTIONS GIVEN IN THE DATA SHEET MUST BE OBSERVED.

=====SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION=====

**ENGINEERING CONTROLS/PERSONAL PROTECTION:**

USE LOCAL EXHAUST VENTILATION WITH A MINIMUM CAPTURE VELOCITY OF 100 FT/MIN. (.05 M.SEC.) AT THE POINT OF VAPOR EVOLUTION. REFER TO THE CURRENT EDITION OF INDUSTRIAL VENTILATION: A MANUAL OF RECOMMENDED PRACTICE PUBLISHED BY THE AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS FOR INFORMATION ON THE DESIGN, INSTALLATION, USE, AND MAINTENANCE OF EXHAUST SYSTEMS.

**RESPIRATORY PROTECTION:**

FOLLOW OSHA REGULATION 29 CFR 1910.134 FOR RESPIRATOR USE. WHERE OVERSPRAY IS PRESENT, OR IF CONCENTRATION OF PRODUCT IS NOT KNOWN OR ARE ABOVE THE EXPOSURE GUIDELINES. WHEN COMFORT LEVELS MAY BE EXCEEDED, USE AN APPROVED AIR-PURIFYING RESPIRATOR EQUIPPED WITH AN AMMONIA/METHYLAMINE CARTRIDGE(S).

**SKIN PROTECTION:**

THE USE OF GLOVES IMPERMEABLE TO THE SPECIFIC MATERIAL HANDLED IS ADVISED TO PREVENT SKIN CONTACT AND POSSIBLE IRRITATION. NOTE THAT PVA DEGRADES IN WATER.

**EYE PROTECTION:**

CHEMICAL GOGGLES. IF SPLASHING MAY OCCUR OR DURING SPRAY OPERATIONS WEAR A FACE SHIELD, UNLESS A FULL FACE PIECE RESPIRATOR IS USED. DO NOT WEAR CONTACT LENSES AS THEY MAY CONTRIBUTE TO THE SEVERITY OF INJURY TO THE EYE FROM CONTACT WITH

M A T E R I A L   S A F E T Y   D A T A   S H E E T

LAVA DECK BASECOAT 5'S

Page:

LIQUID AND SPRAY MIST.

=====**SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**=====

**BOILING RANGE:** 212F/100C - 2980+/-60 C    **SPECIFIC GRAVITY (H2O=1):** 1.4093  
**VAPOR DENSITY:** LIGHTER THAN AIR    **EVAPORATION RATE:** SLOWER THAN ETHER  
**COATING V.O.C.:** 0.08 lb/gl    **COATING V.O.C.:** 9 g/l

**MATERIAL V.O.C.:** 0.04 lb/gl    **MATERIAL V.O.C.:** 5 g/l

**SOLUBILITY IN WATER:** SOLUBLE.  
**APPEARANCE:** HIGHLY THIXOTROPIC LIQUID.  
**ODOR:** FAINT AMMONIACAL ODOR.

=====**SECTION 10 STABILITY & REACTIVITY DATA**=====

**STABILITY:**

STABLE

**CONDITIONS TO AVOID**

EXTREMELY HOT OR COLD TEMPERATURES

**INCOMPATIBILITY (MATERIALS TO AVOID)**

AVOID STRONG OXIDIZING AGENTS SUCH AS LIQUID CHLORINE, CONCENTRATED OXYGEN, SODIUM HYPOCHLORITE OR CALCIUM HYPOCHLORITE.

**HAZARDOUS DECOMPOSITION OR BY PRODUCTS:**

THERMAL DECOMPOSITION MAY YIELD ACRYLIC MONOMER, CARBON MONOXIDE AND CARBON DIOXIDE. UNIDENTIFIED ORGANIC COMPOUNDS IN FUMES AND SMOKE MAY BE FORMED DURING COMBUSTION.

**HAZARDOUS POLYMERIZATION: WILL NOT OCCUR**

=====**SECTION 11 TOXICOLOGICAL INFORMATION**=====

**EYE:**

INCONSEQUENTIAL IRRITATION

**SKIN:**

SKIN IRRITATION- RABBIT: PRACTICALLY NON-IRRITATING. DERMAL LD50-RABBIT: >5000 mg/kg.

**INGESTION:**

INFORMATION IS BASED ON THE TOXICITY PROFILES FOR A NUMBER OF ACRYLIC EMULSIONS THAT ARE COMPOSITIONALLY SIMILAR TO THIS PRODUCT  
TYPICAL DATA ARE: PRACTICALLY NON-IRRITATING

**INHALATION:**

IT IS POSSIBLE TO BREATHE THIS MATERIAL UNDER CERTAIN CONDITIONS OF HANDLING AND USE (FOR EXAMPLE, DURING MIXING). BREATHING SMALL AMOUNTS OF THIS MATERIAL DURING NORMAL HANDLING IS NOT LIKELY TO CAUSE HARMFUL EFFECTS. BREATHING LARGE AMOUNTS MAY BE HARMFUL. SYMPTOMS USUALLY OCCUR AT AIR CONCENTRATIONS HIGHER THAN THE RECOMMENDED EXPOSURE LIMITS.

**SUBCHRONIC:**

HEADACHE, NAUSEA, ABDOMINAL PAIN AND IRRITATION OF THE NOSE, THROAT AND LUNGS. SKIN AND EYE IRRITATION.

M A T E R I A L   S A F E T Y   D A T A   S H E E T

LAVA DECK BASECOAT 5'S

Page:

**CHRONIC/CARCINOGENICITY:**

CONTAINS CRYSTALLINE SILICA. OVEREXPOSURE TO RESPIRABLE CRYSTALLINE SILICA DUST CAN CAUSE SILICOSIS, A FORM OF PROGRESSIVE PULMONARY FIBROSIS. THE INTERNATIONAL AGENCY FOR RESEARCH ON CANCER (IARC) HAS EVALUATED IN VOLUME 68, MONOGRAPHS ON THE EVALUATION OF THE CARCINOGENICITY RISK OF CHEMICALS TO HUMANS, CRYSTALLINE SILICA IN THE FORM OF QUARTZ AND AMORPHOUS SILICA (1997), THAT THERE IS "SUFFICIENT EVIDENCE FOR THE CARCINOGENICITY OF INHALED CRYSTALLINE SILICA IN THE FORM OF QUARTZ OR CRISTOBALITE FROM OCCUPATIONAL EXPOSURES HAS BEEN CLASSIFIED AS A GROUP 1 CARCINOGEN BY THE IARC.

**TERATOLOGY:**

NO DATA

**REPRODUCTION:**

NO DATA.

**MUTAGENICITY:**

NO DATA.

=====**SECTION 12 ECOLOGICAL INFORMATION**=====

**ECOTOXICOLOGICAL INFORMATION:**

INHERENT BIODEGRADABILITY (OECD 302 B): THIS TYPE OF PRODUCT IS NOT BIODEGRADABLE BUT READILY BIOELIMINABLE.

EMULSION POLYMER BIODEGRADATION IS GENERALLY CONSIDERED LIMITED AND DEPENDENT ON POLYMER SIZE AND ORIGIN OF TREATMENT SLUDGE. HOWEVER, MOST OF THESE POLYMERS READILY ABSORB ONTO WATER TREATMENT SLUDGE AND THEREFORE WOULD BE BIOELIMINABLE FROM EFFLUENTS.

ACTIVATED SLUDGE RESPIRATORY INHIBITION (OECD 209): >100MG/L (NON-INHIBITING)

THE INFORMATION SHOWN IS BASED ON PROFILES OF COMPOSITIONALLY SIMILAR MATERIALS.

ALGAE (SELENASTRUM CAPRICORNUTUM), 72 HOUR EC50: >100 PPM (NON-TOXIC) RAINBOW TROUT (ONCORHYNCHUS MYKISS), 96 HOUR LC50: >100 PPM (NON-TOXIC) DAPHNIA MAGNA, 48 HOUR EC50: >100 PPM (NON-TOXIC) MICROTOX, 15 MINUTE EC50: >300 PPM (NON-TOXIC).

THE ABOVE DATA ARE FOR A COMPOSITIONALLY SIMILAR MATERIAL.

**CHEMICAL FATE INFORMATION:**

NO DATA.

=====**SECTION 13 DISPOSAL CONSIDERATIONS:**=====

**INSTRUCTIONS:**

COAGULATE THE EMULSION BY THE STEPWISE ADDITION OF FERRIC CHLORIDE AND LIME. REMOVE THE CLEAR SUPERNATANT AND FLUSH TO A CHEMICAL SEWER. INCINERATE LIQUID AND CONTAMINATED SOLIDS IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

=====**SECTION 14 TRANSPORT INFORMATION**=====

M A T E R I A L   S A F E T Y   D A T A   S H E E T

LAVA DECK BASECOAT 5'S

Page:

**SHIPPING INFORMATION:**

DOT INFORMATION - 49 CFR 172.101

DOT DESCRIPTION: NOT REGULATED

=====**SECTION 15 REGULATORY INFORMATION**=====

(NOT MEANT TO BE ALL INCLUSIVE-SELECTED REGULATIONS REPRESENTED)

**US REGULATIONS:**

STATUS OF SUBSTANCES LISTS:

THE CONCENTRATIONS SHOWN IN SECTION II ARE MAXIMUM CEILING LEVELS (WEIGHT %) TO BE USED FOR CALCULATIONS FOR REGULATIONS.

FEDERAL EPA: COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION & LIABILITY ACT OF 1980 (CERCLA) REQUIRES NOTIFICATION OF THE NATIONAL RESPONSE CENTER OF RELEASE OF QUANTITIES OF HAZARDOUS SUBSTANCES EQUAL TO OR GREATER THAN THE REPORTABLE QUANTITIES (RQ'S) IN 40 CFR 302.4.

**COMPONENTS PRESENT THAT COULD REQUIRE REPORTING UNDER THE STATUTE ARE:**

NONE KNOWN

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986(SARA) TITLE III REQUIRES EMERGENCY PLANNING BASED ON THE THRESHOLD QUANTITIES (TPQ'S) AND RELEASE REPORTING BASED ON REPORTABLE QUANTITIES (RQ'S) IN 40 CFR 355 (USED FOR SARA 302, 304, 311, AND 312)

**COMPONENTS PRESENT THAT COULD REQUIRE REPORTING UNDER THE STATUTE ARE:**

NONE KNOWN

REQUIRES SUBMISSION OF ANNUAL REPORTS OF RELEASE OF TOXIC CHEMICALS THAT APPEAR IN 40 CFR 372(FOR SARA 313). THIS INFORMATION MUST BE INCLUDED IN ALL MSDS'S THAT ARE COPIED AND DISTRIBUTED FOR THIS MATERIAL.

**COMPONENTS THAT COULD REQUIRE REPORTING UNDER THE STATUTE: SEE SECTION II**

THE COMPONENTS OF THIS PRODUCT ARE LISTED OR EXCLUDED FROM LISTING ON THE

US TOXIC SUBSTANCE CONTROL ACT (TSCA) CHEMICAL SUBSTANCE INVENTORY.

THE REMAINING PERCENTAGE OF UNSPECIFIED INGREDIENTS, IF ANY, ARE NOT CONTAINED IN ABOVE DE MINIMIS CONCENTRATIONS AND/OR ARE BELIEVED TO BE NON-HAZARDOUS UNDER THE OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200), AND MAY CONSIST OF PIGMENTS, FILLERS, DEFOAMERS, WETTING AGENTS, RESINS, DRYERS, ANTI-BACTERIAL AGENTS, WATER AND/OR SOLVENTS IN VARYING CONCENTRATIONS.

**INTERNATIONAL REGULATIONS:**

**CANADIAN WHMIS:**

DOES NOT CLASSIFY AS HAZARDOUS.

**CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA):**

NONE KNOWN

**EINECS:**

NO INFORMATION.

**STATE REGULATIONS:**

**CALIFORNIA PROPOSITION 65: THE FOLLOWING STATEMENT IS MADE IN ORDER TO COMPLY THE CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986. THIS PRODUCT CONTAINS THE FOLLOWING SUBSTANCE(S) KNOWN TO THE STATE OF CALIFORNIA**

**A: CAUSE CANCER:**

CRYSTALLINE SILICA, CAS#14808-60-7 (AIRBORNE PARTICLES OF RESPIRABLE SIZE) IN ADDITION TO THE ABOVE NAMED CHEMICALS, IF ANY, THIS PRODUCT MAY CONTAIN TRACE AMOUNTS OF SOME CHEMICALS CONSIDERED BY THE STATE OF CALIFORNIA TO BE

M A T E R I A L   S A F E T Y   D A T A   S H E E T

LAVA DECK BASECOAT 5'S

Page:

CARCINOGENS OR REPRODUCTIVE TOXICANTS.

**B: CAUSE REPRODUCTIVE HARM:**

NONE KNOWN

**PENNSYLVANIA:**

NONE KNOWN

**NEW JERSEY:**

NONE KNOWN

**OTHER:**

NONE KNOWN

=====SECTION 16 OTHER INFORMATION=====

THE INFORMATION CONTAINED HEREIN IS FURNISHED WITHOUT WARRANTY OF ANY KIND. USERS SHOULD CONSIDER THESE DATA ONLY AS A SUPPLEMENT TO OTHER INFORMATION GATHERED BY THEM & DETERMINE THE SUITABILITY & COMPLETENESS OF INFORMATION FROM ALL SOURCES TO ASSURE PROPER USE & DISPOSAL OF THESE MATERIALS & THE SAFETY & HEALTH OF EMPLOYEES & CUSTOMERS.

STATE CODES DEFINED:

MA: Codes

- 1 IARC(Int.Agency for Research on Cancer)
- 2 OSHA 29 CFR 1910.1000, sub part Z
- 3 NTP National Toxicology Program
- 4 ACGIH American Conference of Gov.Ind. Hygienists (TLV)
- 5 NFPA49 HAZ CHEM
- 6 NFPA325M FIRE HAZARDS
- 7 CAG Carcinogen Assessment Group
- 8 EPA Environmental Protection Agency pesticides (40 CFR 162.30)
- 9 NCI National Cancer Institutes substances

Hazard Designations

- \*C\* - Carcinogen Poses a risk of cancer in humans.
- \*N\* - Neurotoxin Poses a risk of neurotoxic effects in humans.
- \*M\* - Mutagen Poses a risk of mutagenesis in humans.
- \*E\* - Extraordinarily Hazardous Substances that have a low lethal dose (LD(50)) or are designated carcinogens.
- \*T1\* - Teratogen Sufficient evidence of teratogenic risk in humans.
- \*T2\* - Teratogen Limited evidence of teratogenic risk in humans.

Footnote Designations

- F1 - Elemental Metals and Alloys
- F2 - Asbestos
- F3 - Asphalt
- F4 - Coal Tar Pitch Volatile
- F5 - Dust Producing Materials
- F6 - EPA Extremely Haz. Substances
- F7 - Volatile Organic Substances (VOC's)
- F8 - Cercla Hazardous Substances
- F9 - Toxic Chemical Release Substances

MI: Codes

-- REQUIRES FURTHER REPORTING

M A T E R I A L   S A F E T Y   D A T A   S H E E T

LAVA DECK BASECOAT 5'S

Page:

MN: Codes

A American Conference of Governmental Industrial Hygienists (ACGIH)

I American Industrial Hygiene Association (AIHA)

N National Institute for Occupational Safety and Health (NIOSH)

O Occupational Safety and Health Administration (OSHA)

R International Agency for Research on Cancer (IARC)

S OSHA proposed standards.

T National Toxicology Program (NTP)

Hazard Designations

T: Listed as carcinogen or potential by IARC or NTP

F: Not listed as carcinogen or potential carcinogen

asphyxiant: Asphyxiant

dust: Airborne particulate exposure hazard

fume: Small solid particles formed by the condensation of vapors of solid materials

skin: Potential hazard from absorption through skin contact

PA:CODES IDENTIFY CHEMICALS AS:

--(Basic Hazard)

E (ENVIRONMENTAL HAZARD)

\* ANY COMPOUND OF THIS CHEMICAL IS ALSO AN ENVIRONMENTAL HAZARD

S (SPECIAL HAZARD)